INDEX OF SUBJECTS

A

Abscesses. — Multiple liver caused by a leptothrix, with a review of leptothrical infection (<i>Harris</i>)	71	
Acid-fast bacteria. — Cultivation of in chick embryo (Verder and McKinley)	928*	
Actinobacillosis. — of man. Report of a fatal case (Beaver and Thompson	603	
Actinobacillosis. — The pathological anatomy of in man and experimental animals (Beaver)	925*	
Actinomycosis of tubes and ovaries (Cornell)	926*	
Adenomas. — A reducing substance found in chromophilic and in the normal anterior pituitary (<i>Putnam and Wilcox</i>)	649	
Agglutinins. — Susceptibility to pneumococcus infection as measured by species specific (<i>Curphey</i>)	955*	
Allergy. — The relation of to resistance in streptococcic infection (Clawson)	936*	
Amyloid disease. — of the kidneys (Bell)	185	
Aneurysm. — Rare form of saccular cardiac with spontaneous rupture (Hunter and Benson)	593	
Angle. — The of the mitotic spindles in malignant cells (Warren)	781	
Angle. — The of the mitotic spindles in malignant cells (Warren) -	946*	
Aortic valve. — Extreme alteration of the in syphilitic aortitis (Saphir and Stasney)	431	
Arteries. — Microincineration studies of human coronary (Ku)	23	
Arthritis. — Degenerative changes in joints resulting from continued trauma and increasing age, and their relation to hypertrophic (Bennett and Bauer)	951*	
Aspiration. — The diagnosis of tumors by (Stewart)	801	
Atelectasis. — of the newborn (Farber and Wilson)	966*	
В		
B. typhosus. — Changes that may be induced in the behavior of, with reference to the criteria for identification of the species (Gilbert and Coleman)	940*	
Bacteria. — A factor in the mechanism of invasiveness by pyogenic (Menkin)	930*	
Bacteria. — The differential staining of living and dead (Gay and Clark)	939*	
Bacteria. — The permeability of the kidney to (Book)	569	

^{*} Abstract of paper presented at the meeting of the American Association of Pathologists and Bacteriologists held at Washington, D. C., May 9 and 10, 1933.

Body length. — and organ weights of infants and children. A study of the and normal weights of the more important vital organs of the body between birth and twelve years of age (Coppoletta and Wolbach)	55
Bone. — A group of metaplastic and neoplastic and cartilage-containing tumors of soft parts (Mallory)	765
Bone marrow. — The pathology of the in sprue anemia (Rhoads and Castle)	813
Bones. — Neuroblastoma metastases in, with a criticism of Ewing's endothelioma (Colville and Willis)	421
Boston. — Frank Burr Mallory and the pathological department of the City Hospital (Leary)	659
Breast. — Fibroma of the (Halpert and Dial)	905
Brucella group. — Spondylitis of swine associated with bacteria of the (Feldman and Olson)	951
c	
Caesium chloride. — The effect of on transplanted tumors of mice (Wright and Graham)	789
Calcification. — Metastatic occurring in myelogenous leukemia (De Santo)	105
Cancer cells. — The of serous effusions (Graham)	701
Carcinoma. — Sarcomatoid metastases in the lymph nodes draining a primary with a sarcomatoid stroma (Greenblatt)	525
Cartilage. — A group of metaplastic and neoplastic bone- and containing tumors of soft parts (Mallory)	765
Chick embryo. — Cultivation of acid-fast bacteria in (Verder and Mc Kinley)	928
Chick embryo. — Herpetic infection of the chorio-allantoic membrane of the (Dawson)	I
Children. — Body length and organ weights of infants and A study of the body length and normal weights of the more important vital organs of the body between birth and twelve years of age (Coppo-	
letta and Wolbach)	55
Chorio-allantoic membrane. — Herpetic infection of the of the chick embryo (Dawson)	473
Cirrhosis. — Phlebosclerosis of the hepatic veins, as associated with chronic passive congestion of the liver and cardiac (Moscheo-	1
witz)	941*
Cirrhosis. — Phosphorus and alcoholic (Mallory)	557
Cirrhosis. — Phosphorus and alcoholic (Mallory)	9414
Cirrhosis. — The reaction to fine and medium sized quartz and aluminum oxide particles. Silicotic of the liver. (Gardner and Cum-	
mings)	751
City. — Frank Burr Mallory and the Pathological Department of the Boston Hospital (<i>Leary</i>)	659
Cold. — Cataphoretic time and velocity of streptococci and pneumo-	239
cocci as isolated in studies of the common, influenza, broncho- pneumonia, and lobar pneumonia (Rosenow)	956*

INDEX OF SUBJECTS	975
Cold. — The histological changes in the thyroid gland of the white rat exposed to (Kenyon)	347
Collagen. — Controlled formation of and reticulum. A study of the source of intercellular substance in recovery from experimental scorbutus (Wolbach)	
Cornea. — A comparison of the cellular reaction in experimental tuber- culosis of the in animals of varying resistance (Long, Holley and Vorwald)	
Cornea. — The origin of the epithelioid cell in experimental tuberculosis of the (Long and Holley)	329
D	
Dermoid. — Structure suggesting a spinal cord found in an ovarian	
(McFarland) Differential staining. — The of living and dead bacteria (Gay and	271
Clark)	939*
Dogs. — The production of persistent hypertension in (Goldblatt, Lynch, Hanzal and Summerville)	942*
E	
Encephalitis. — Cellular inclusions in cerebral lesions of lethargic (Dawson)	7
Endocarditis. — Hemophilus hemolyticus (DeSanto and White)	381
Epidemic influenza. — The similarity of virus pneumonia in animals toand interstitial bronchopneumonia in man (McCordock and	
Muckenfuss)	221
tuberculosis in rabbits (Lurie)	928*
Epithelial invasion. — Benign (Boyd) Epithelioid cell. — The origin of the in experimental tuberculosis of	946*
the cornea (Long and Holley) Epithelioma. — Calcified of the skin (Ch'in Kuang-yu)	337 497
Erythroleucoblastosis in the newborn (Wanstrom)	623
Erythroleucosis. — Studies on the pathogenesis of (Ratcliffe, Furth and Breedis)	165
Ewing's endothelioma. — Neuroblastoma metastases in bones, with a criticism of (Colville and Willis)	421
F	
Fat embolism. — Experimental of the heart (Szurek and Czaja)	47
Fibroma of the breast (Halpert and Dial)	905
Fibrosis uteri. — (Baker)	369
Fixation. — The pH of formalin — a factor in Adjustment and stabilization of the hydrogen ion concentration of formalin solutions (Burke)	915
Formalin. — The pH of — afactor in fixation. Adjustment and stabilization of the hydrogen ion concentration of solutions	
(Burke) Friedländer bacillus. — pneumonia (Olcott)	915 959*

Gastro-intestinal tract. — Some unusual sources of hemorrhage into the	942
Glioma group. — The cytology of the; with special reference to the inclusion of cells derived from the invaded tissue (Cox)	830
Glucose-glycogen equilibrium. — The relation between the mitochondria and in the liver (Hall and MacKay)	205
$\textbf{Growth inhibitor.} \dots \text{ in kidney dessicates } (\textit{McJunkin and Hartman})$	739
н	
Hair follicles. — A theory of pigmented moles. Their relation to the evolution of $(Laidlaw\ and\ Murray)$	947*
Hair follicles. — Melanoma studies. III. A theory of pigmented moles. Their relation to the evolution of (Laidlaw and Murray)	827
Heart. — Experimental fat embolism of the (Szurek and Czaja) Heart. — Spontaneous rupture of the Report of 40 cases in Portland.	47
Oregon (Benson, Hunter and Manlove)	295
Heart disease. — Congenital with pulmonary arteritis. Interventricular septal defect, dextroposition of the aorta and dilatation of the pulmonary artery (Stewart and Crawford)	627
Heart valves. — The in experimental scurvy and in scurvy with superimposed infection (Rinchart and Mettier)	637 932*
Hemophilus hemolyticus. — endocarditis (DeSanto and White)	381
Hemorrhage. — Some unusual sources of into the gastro-intestinal tract (Clarke)	942*
Hepatitis. — The relation of to cholecystitis (Noble)	473
Hermaphroditism. — A case of malformation assumed to be true $(McFarland)$	549
Herpetic infection. — of the chorio-allantoic membrane of the chick embryo (Dawson)	1
Herpetic intranuclear inclusions. — The microincineration of (Rector and Rector)	587
Hospital. — Frank Burr Mallory and the pathological department of the Boston City (Leary)	659
Hypertension. — The production of persistent in dogs (Goldblatt, Lynch, Hanzal and Summerville)	942*
Hypophysis. — The percentage of the different types of cells in the anterior lobe of the in the adult human female (Rasmussen)	459
I	
Incisor teeth. — The of albino rats and guinea pigs in vitamin A deficiency and repair (Wolbach and Howe)	275
Inclusions. — Cellular in cerebral lesions of lethargic encephalitis (Dawson)	
Infants. — Body length and organ weights of and children. A study of the body length and normal weights of the more important vital organs of the body between birth and twelve years of age (Coppoletta and Wolbach)	7
scient with at neolicity = = = = = = = = = = = = = = = = = = =	55


INDEX OF SUBJECTS	977
Infectious diseases. — Inherent factors in resistance and susceptibility to (Webster)	938*
Influenza. — Cataphoretic time and velocity of streptococci and pneumococci as isolated in studies of the common cold,, bronchopneumonia, and lobar pneumonia (Rosenow)	956*
Institute of Pathology. — The Mallory (Nye)	673
Intercellular substance. — Controlled formation of collagen and reticulum. A study of the source of in recovery from experimental scorbutus (Wolbach)	, ,
Interstitial bronchopneumonia. — The similarity of virus pneumonia in animals to epidemic influenza and in man (McCordock and	689
Muckenfuss) Intestinal muscle coats. — Pigment deposits in and their relation to	221
diet factors (Nachtnebel)	261
(Cowary)	149
J	
Joints. — Degenerative changes in resulting from continued trauma and increasing age, and their relation to hypertrophic arthritis	
(Bennett and Bauer)	951*
Joints. — The in experimental scurvy and in scurvy with super- imposed infection (<i>Rinchart and Mettier</i>)	952*
K	
Kidney. — Experimental study of the effects of potassium bichromate on the monkey's (Hunter and Roberts)	133
Kidney. — The permeability of the to bacteria (Book)	569
man)	739
Kidneys. — Amyloid disease of the (Bell)	185
L	
Leptothrix. — Multiple liver abscesses caused by a, with a review of	
leptothrical infection (Harris)	71
Leukemia. — Metastatic calcification occurring in myelogenous	
(DeSanto) Leukemia. — Myeloblastic sarcoma of the scapula associated with	105
chronic splenomyelogenous (Dubois)	113
Lime salts. — Microtechnical demonstration of insoluble in tissues (Gömöri)	253
Liposarcoma. — Report of a case with intracranial metastases	909
Liver. — Multiple abscesses caused by a leptothrix, with a review of leptothrical infection (Harris)	71
Liver. — The reaction to fine and medium sized quartz and aluminum oxide particles. Silicotic cirrhosis of the (Gardner and Cum-	
mings)	751
Liver. — The relation between the mitochondria and glucose-glycogen equilibrium in the (Hall and MacKay)	205

Lymph nodes. — Sarcomatoid metastases in the draining a primary carcinoma with a sarcomatoid stroma (Greenblatt)	525
Lymphoblastoma. — A case of congenital (Branch)	777
M	
Malaria. — Cellular reactions to (Plasmodium brasilianum) in Panamanian monkeys (Taliaferro and Cannon)	934
Malformation. — A case of assumed to be true hermaphroditism (McFarland)	549
Malignant cells. — The angle of the mitotic spindles in (Warren)	781
Malignant cells. — The angle of the mitotic spindles in (Warren) -	946
Mallory. — Frank Burr and the pathological department of the Boston City Hospital (<i>Leary</i>)	659
Mallory. — The Institute of Pathology (Nye)	673
Melanin. — The mobilization and excretion of in normal and pathological conditions (Jacobsen and Klinck)	9481
Melanoma studies. — III. A theory of pigmented moles, Their relation to the evolution of hair follicles (Laidlaw and Murray)	827
Microincineration. — studies of human coronary arteries (Ku)	23
Microincineration. — The of herpetic intranuclear inclusions (Rector and Rector)	587
Microincineration. — The of intranuclear inclusions in yellow fever (Cowdry)	149
Mitochondria. — The relation between the and glucose-glycogen equilibrium in the liver (Hall and MacKay)	205
Mitotic spindles. — The angle of the in malignant cells (Warren)	781
Mitotic spindles. — The angle of the in malignant cells (Warren) -	946*
Monkeys. — Cellular reactions to malaria (Plasmodium brasilianum) in Panamanian (Taliaferro and Cannon)	934*
Myeloma. — Renal lesions associated with multiple (Bell)	393
Myeloma. — Renal lesions associated with multiple (Bell)	949
N	
Neuroblastoma. — metastases in bones, with a criticism of Ewing's endothelioma (Colville and Willis)	421
Newborn. — Atelectasis of the (Farber and Wilson)	966
Nodular lesions. — of the peritoneum (Haythorn)	725
o	
Organ weights. — Body length and of infants and children. A study of the body length and normal weights of the more important vital organs of the body between birth and twelve years of age (Coppoletta and Wolbach)	55
Ovaries. — Actinomycosis of tubes and (Cornell)	926
P	
Pathological department Frank Burr Mallory and the of the	
Boston City Hospital (Leary)	659


INDEX OF SUBJECTS	979
Peritoneum Nodular lesions of the (Haythorn)	725
Permeability. — The of the kidney to bacteria (Book)	569
Persistence. — The of tuberculous infections (Robertson)	711
pH.—The of formalin — a factor in fixation. Adjustment and stabilization of the hydrogen ion concentration of formalin solutions	
(Burke)	915
Phlebosclerosis. — of the hepatic veins, as associated with chronic passive congestion of the liver and cardiac cirrhosis (<i>Moschcowitz</i>)	941*
Phosphorus. — and alcoholic cirrhosis (Mallory)	557
Phosphorus. — and alcoholic cirrhosis (Mallory	941*
Pigment deposits. — in intestinal muscle coats and their relation to diet factors (Nachtnebel)	261
Pigmented moles. — A theory of Their relation to the evolution of hair follicles (Laidlaw and Murray)	947*
Pigmented moles. — Melanoma studies. III. A theory of Their relation to the evolution of hair follicles (Laidlaw and Murray)	827
Pituitary. — A reducing substance found in chromophilic adenomas and in the normal anterior (Putnam and Wilcox)	649
Pituitary. — Posterior activity from an anatomical standpoint (Cushing)	539
Pneumococcus infection. — Susceptibility to as measured by species	007
specific agglutinins (Curphey)	955*
Pneumonia. — Cataphoretic time and velocity of streptococci and pneumococci as isolated in studies of the common cold, influenza,	
bronchopneumonia, and lobar (Rosenow)	956*
Pneumonia. — Friedländer bacillus (Olcott)	959*
Pneumonia. — in newborn infants (Warwick) Pneumonia. — Studies in of infancy and childhood by the whole	961*
lung section method (Graef, Smith and Andrews)	963*
Pneumonias. — The genesis of one group of secondary (Moon)	960*
Pneumonia. — The origin of one type of secondary (Moon)	800
Pneumonias. — The etiological relation of filterable viruses to the complicating influenza, measles and whooping cough (McCordock)	957*
Pneumococcus typing. — Immediate directly from sputum by the	
Neufeld reaction (Sabin)	968*
Poliomyelitis virus. — The neutralization of by the serum of normal adults of Nashville, Tenn. (<i>Hudson and Litterer</i>)	935*
Potassium bichromate. — Experimental study of the effects of on the monkey's kidney (Hunter and Roberts)	133
Pulmonary artery. — Tuberculous vegetatons of the trunk of the (Gross)	17
Pulmonary conus. — Stenosis of at lower bulbar orifice with interventricular septum entire (with two illustrative cases) (Abbot and	
Eakin)	940*
R	
Reducing substance. — A found in chromophilic adenomas and in the normal anterior pituitary (Putnam and Wilcox)	649
Renal lesions. — associated with multiple myeloma (Bell)	393
Renal lesions. — associated with multiple myeloma (Bell)	949*

Resistance. — Inherent factors in and susceptibility to infectious diseases (Webster)	938*
Reticulosarcoma. — Report of a case of retotheliosarcoma () of the cerebral hemisphere (Foot and Cohen)	123
Reticulum. — Controlled formation of collagen and A study of the source of intercellular substance in recovery from experimental	3
scorbutus (Wolbach)	689
Retotheliosarcoma. — Report of a case of (reticulosarcoma) of the cerebral hemisphere (Foot and Cohen)	123
Rheumatic heart disease. — without valvulitis (Garber)	443
Rheumatic peritonitis. — (Rhea)	719
Rocky Mountain spotted fever. — Histological study of a case of the Eastern type of (Harris)	91
Rupture. — Rare form of saccular cardiac aneurysm with spontaneous (Hunter and Benson)	593
Rupture. — Spontaneous of the heart. Report of 40 cases in Portland, Oregon (Benson, Hunter and Manlove)	295
S	
Sarcoma. — Myeloblastic of the scapula associated with chronic	
splenomyelogenous leukemia (Dubois)	113
Sarcomatoid stroma. — Sarcomatoid metastases in the lymph nodes draining a primary carcinoma with a (Greenblatt)	525
Scorbutus. — Controlled formation of collagen and reticulum. A study of the source of intercellular substance in recovery from experimental (Wolbach)	689
Scurvy. — The heart valves in experimental and in with superimposed infection (Rinehart and Mettier)	932*
Scurvy. — The joints in experimental and in with superimposed infection (Rinehart and Mettier)	952*
Serous effusions. — The cancer cells of (Graham)	701
Schwartzman phenomenon. — The in the lungs of rabbits (Cohen) -	967*
Silicotic. — The reaction to fine and medium sized quartz and aluminum	
oxide particles cirrhosis of the liver. (Gardner and Cummings)	751
Skin. — Calcified epithelioma of the (Ch'in Kuang-yu)	497
Soft parts. — A group of metaplastic and neoplastic bone- and cartilage- containing tumors of (Mallory)	765
Spinal cord. — Structure suggesting a found in an ovarian dermoid (McFarland)	271
Spondylitis. — of swine associated with bacteria of the brucella group (Feldman and Olson)	951*
Sprue anemia. — The pathology of the bone marrow in (Rhoads and Castle)	813
Sputum. — Immediate pneumococcus typing directly from by the Neufeld reaction (Sabin)	968*
Stenosis. — of pulmonary conus at lower bulbar orifice with interventricular septum entire (with two illustrative cases) ($Abbott\ and$	
Eakin)	940*
Streptococcic infection. — The relation of allergy to resistance in (Clawson)	036*

INDEX OF SUBJECTS	981	
Susceptibility. — Inherent factors in resistance and to infectious diseases (Webster)	938*	
Syphilitic aortitis. — Extreme alteration of the aortic valve in (Saphir and Stasney)	431	
T		
Testicular extract. — The effect of on experimental tuberculosis in rabbits. I. Skin lesions (Walker and Hoffman)	651	
Thyroid gland. — The histological changes in the of the white rat exposed to cold (Kenyon)	347	
Tuberculosis. — A comparison of the cellular reaction in experimental of the cornea in animals of varying resistance (<i>Long</i> , <i>Holley and Vorwald</i>)	329	
Tuberculosis. — Experimental epidemiology of The effect of a primary infection with tubercle bacilli of the human type on contact		
in rabbits (Lurie)	928*	
Tuberculosis. — The effect of testicular extract on experimental in rabbits. I. Skin lesions (Walker and Hoffman)	651	
Tuberculosis. — The origin of the epithelioid cell in experimental of the cornea (Long and Holley)		
Tuberculous endophlebitis with obliteration of the superior vena	337	
cava. Report of a case (Schmeisser, Fuller and Jones)	927*	
Tuberculous infections. — The persistence of (Robertson)	711	
Tuberculous vegetations. — of the trunk of the pulmonary artery	17	
Tubes. — Actinomycosis of and ovaries (Cornell)	926*	
Tumors. — A group of metaplastic and neoplastic bone- and cartilage- containing of soft parts (Mallory)	765	
Tumors. — The diagnosis of by aspiration (Stewart)	801	
Tumors of mice. — The effect of caesium chloride on transplanted	001	
(Wright and Graham)	789	
v		
Warner of the second se		
Vena cava. — Tuberculous endophlebitis with obliteration of the superior Report of a case (Schmeisser, Fuller and Jones)	927*	
Viruses. — The etiological relation of filterable to the pneumonias complicating influenza, measles and whooping cough (McCordock)	957*	
Virus pneumonia. — The similarity of in animals to epidemic influenza and interstitial bronchopneumonia in man (McCordock and		
Muckenfuss)	221	
Vitamin A deficiency. — The incisor teeth of albino rats and guinea pigs in and repair (Wolbach and Howe)	275	
Y		
Yeast-like organism. — A unique infection in man with a new (Hans-		
	925*	
Yellow fever. — The microincineration of intranuclear inclusions in	943	
(Cowdry)	149	



INDEX OF AUTHORS



INDEX OF AUTHORS

A

Abbott, Maude E., and Eakin, W. W. Stenosis of pulmonary conus at lower bulbar orifice with interventricular septum entire (with two illustrative cases)	940*
Andrews, Elizabeth Torrey. See Graef, Hendee and Andrews	963*
В	
Baker, A. B. Fibrosis uteri	369
Bauer, Walter. See Bennett and Bauer	951*
Beaver, Donald C., and Thompson, Luther. Actinobacillosis of man.	
Report of a fatal case	603
mental animals	925*
Bell, E. T. Amyloid disease of the kidneys	185
Renal lesions associated with multiple myeloma Renal lesions associated with multiple myeloma	393 949*
Bennett, Granville A., and Bauer, Walter. Degenerative changes in joints resulting from continued trauma and increasing age, and their relation to hypertrophic arthritis.	949
Benson, Robert L., Hunter, Warren C., and Manlove, Charles H. Spontaneous rupture of the heart. Report of 40 cases in Portland,	951
Oregon	295
Book, M. H. The permeability of the kidney to bacteria	593 569
Boyd, William. Benign epithelial invasion	946*
Branch, Charles F. A case of congenital lymphoblastoma	777
Breedis, Charles. See Ratcliffe, Furth and Breedis	165
Burke, F. Vincent. The pH of formalin—a factor in fixation. Adjustment and stabilization of the hydrogen ionconcentrat ion of formalin	105
solutions	915
c	
Cannon, Paul R. See Taliaferro and Cannon	934*
Castle, W. B. See Rhoads and Castle	813
Ch'in, Kuang-yu. Calcified epithelioma of the skin	497
Clark, Ada R. See Gay and Clark	939*
Clarke, B. Earl. Some unusual sources of hemorrhage into the gastro-intestinal tract	942*
Clawson, B. J. The relation of allergy to resistance in streptococcic	
infection	936*
Cohen, John. The Shwartzman phenomenon in the lungs of rabbits .	967*
* Abstract of paper presented at the meeting of the American Association of I	Pathol-

Cohen, Sander. See Foot and Cohen	123
Coleman, Marion B. See Gilbert and Coleman	9404
Colville, H. C., and Willis, R. A. Neuroblastoma metastases in bones, with a criticism of Ewing's endothelioma	421
Coppoletta, Joseph M., and Wolbach, S. B. Body length and organ weights of infants and children. A study of the body length and normal weights of the more important vital organs of the body between birth and twelve years of age.	55
Cornell, V. H. Actinomycosis of tubes and ovaries	926*
Cox, Leonard B. The cytology of the glioma group; with special reference to the inclusion of cells derived from the invaded tissue	839
Cowdry, E. V. The microincineration of intranuclear inclusions in yellow fever	149
Crawford, Baxter L. See Stewart and Crawford	637
Cummings, Donald E. See Gardner and Cummings	751
Curphey, Theodore J. Susceptibility to pneumococcus infection as measured by species specific agglutinins	955*
Cushing, Harvey. Posterior pituitary activity from an anatomical stand-	
Czaja, Z. G. See Szurek and Czaja	539
Czaja, Z. G. See Szurek and Czaja	47
D	
Dawson, James R., Jr. Cellular inclusions in cerebral lesions of lethargic	
encephalitis	7
—. Herpetic infection of the chorio-allantoic membrane of the chick embryo	I
DeSanto, Dominic A., and White, Mosetta. Hemophilus hemolyticus endocarditis	381
—. Metastatic calcification occurring in myelogenous leukemia	105
Dial, David L. See Halpert and Dial	905
Dubois, Franklin S. Myeloblastic sarcoma of the scapula associated	
with chronic splenomyelogenous leukemia	113
В	
Eakin, W. W. See Abbott and Eakin	940*
F	
Farber, Sidney, and Wilson, James L. Atelectasis of the newborn	966*
Feldman, William H., and Olson, Carl, Jr. Spondylitis of swine associated with bacteria of the brucella group	951*
Fender, Frederick A. Liposarcoma. Report of a case with intracranial	75-
metastases	909
Foot, Nathan Chandler, and Cohen, Sander. Report of a case of reto-	***
theliosarcoma (reticulosarcoma) of the cerebral hemisphere	123
Fuller, Henry. See Schmeisser, Fuller and Jones	927*
Furth, Jacob. See Ratcliffe, Furth and Breedis	165

G

Garber, C. Z. Rheumatic heart disease without valvulitis	443
Gardner, Leroy U., and Cummings, Donald E. The reaction to fine and	
medium sized quartz and aluminum oxide particles. Silicotic cir-	
rhosis of the liver	751
Gay, Frederick P., and Clark, Ada R. The differential staining of living and dead bacteria	939
Gilbert, Ruth, and Coleman, Marion B. Changes that may be induced in the behavior of B. typhosus, with reference to the criteria for identification of the species	940
Goldblatt, Harry, Lynch, James, Hanzal, Ramon F., and Summerville, Ward W. The production of persistent hypertension in dogs	942
Gömöri, G. Microtechnical demonstration of insoluble lime salts in tissues	253
Graef, Irving, Smith, Charles Hendee, and Andrews, Elizabeth Torrey. Studies in pneumonia of infancy and childhood by the whole lung	
section method	963
Graham, Clarence F. See Wright and Graham	789
Graham, G. S. The cancer cells of serous effusions	701
Greenblatt, Robert B. Sarcomatoid metastases in the lymph nodes	
draining a primary carcinoma with a sarcomatoid stroma	525
Gross, Paul. Tuberculous vegetations of the trunk of the pulmonary artery	17
artery	1/
н	
Hall, Ernest M., and MacKay, Eaton M. The relation between the	
mitochondria and glucose-glycogen equilibrium in the liver	205
Halpert, Béla, and Dial, David L. Fibroma of the breast	905
Hansmann, G. H., and Schenken, J. R. A unique infection in man with a new yeast-like organism	925
	942
Harris, Paul N. Histological study of a case of the Eastern type of Rocky	
Mountain spotted fever	91
—. Multiple liver abscesses caused by a leptothrix, with a review of	
leptothrical infection	71
Hartman, C. D. See McJunkin and Hartman	739
Haythorn, Samuel R. Nodular lesions of the peritoneum	725
Hoffman, Donald C. See Walker and Hoffman	651
Holley, Sion W. See Long and Holley	337
—. See Long, Holley and Vorwald	329
Howe, Percy R. See Wolbach and Howe	275
Hudson, N. Paul, and Litterer, William. The neutralization of poliomyelitis virus by the serum of normal adults of Nashville, Tenn.	935
Hunter, Warren C,. and Benson, Robert L. Rare form of saccular car-	
diac aneurysm with spontaneous rupture	593
, and Roberts, Joe M. Experimental study of the effects of potas-	
sium bichromate on the monkey's kidney	133
See Benson, Hunter and Manlove	295

J

Jacobsen, Victor C., and Klinck, G. H., Jr. The mobilization and excretion of melanin in normal and pathological conditions	948
Jones, I. H. See Schmeisser, Fuller and Jones	927
ĸ	
Kenyon, Allan T. The histological changes in the thyroid gland of the white rat exposed to cold	347 948
Ku, D. Y. Microincineration studies of human coronary arteries	23
L	
 Laidlaw, George F., and Murray, Margaret R. A theory of pigmented moles. Their relation to the evolution of hair follicles —— and ——. Melanoma studies. III. A theory of pigmented moles. Their relation to the evolution of hair follicles 	947 ⁴ 827
Leary, Timothy. Frank Burr Mallory and the pathological department of the Boston City Hospital	659
Litterer, William. See Hudson and Litterer	935*
ison of the cellular reaction in experimental tuberculosis of the cornea in animals of varying resistance —, and Holley, Sion W. The origin of the epithelioid cell in experimental tuberculosis of the corner.	329
mental tuberculosis of the cornea Lurie, Max B. Experimental epidemiology of tuberculosis. The effect of a primary infection with tubercle bacilli of the human type on contact tuberculosis in rabbits	337 928*
Lynch, James. See Goldblatt, Lynch, Hanzal and Summerville	942*
M	
MacKay, Eaton M. See Hall and MacKay	205
Mallory, Frank B. Phosphorus and alcoholic cirrhosis	557 941*
Mallory, Tracy B. A group of metaplastic and neoplastic bone- and cartilage-containing tumors of soft parts	765
Manlove, Charles H. See Benson, Hunter and Manlove	295
McCordock, Howard A. The etiological relation of filterable viruses to the pneumonias complicating influenza, measles and whooping	
	957*
man	221
McFarland, Joseph. A case of malformation assumed to be true hermaphroditism	549
—. Structure suggesting a spinal cord found in an ovarian dermoid. Mc Junkin, F. A., and Hartman, C. D. Growth inhibitor in kidney dessi-	271
cates	739
McKinley, Earl B. See Verder and McKinley	928*

INDEX OF AUTHORS	986
Menkin, Valy. A factor in the mechanism of invasiveness by pyogenic	
bacteria	930 932
 See Rinehart and Mettier Moon, Virgil H. The origin of one type of secondary pneumonia The genesis of one group of secondary pneumonias 	952 899 9 60
Moschcowitz, Eli. Phlebosclerosis of the hepatic veins, as associated with chronic passive congestion of the liver and cardiac cirrhosis.	941
Muckenfuss, Ralph S. See McCordock and Muckenfuss	947 827
N	
Nachtnebel, Edmund. Pigment deposits in intestinal muscle coats and	
their relation to diet factors	261
Noble, John F. The relation of hepatitis to cholecystitis	473
Nye, Robert N. The Mallory Institute of Pathology	673
o	
Olcott, Charles T. Friedländer bacillus pneumonia	959
Olson, Carl, Jr. See Feldman and Olson	951
P	
Putnam, Tracy J., and Wilcox, Herbert B. A reducing substance found in chromophilic adenomas and in the normal anterior pituitary.	649
R	
Rasmussen, A. T. The percentage of the different types of cells in the anterior lobe of the hypophysis in the adult human female	459
Ratcliffe, Herbert L., and Furth, Jacob, with the assistance of Breedis, Charles. Studies on the pathogenesis of erythroleucosis	165
Rector, Eleanor J. See Rector and Rector	587
Rector, L. E., and Rector, Eleanor J. The microincineration of herpetic intranuclear inclusions	587
Rhea, Lawrence J. Rheumatic peritonitis	719
Rhoads, C. P., and Castle, W. B. The pathology of the bone marrow in sprue anemia	813
Rinehart, James F., and Mettier, Stacy R. The heart valves in experi-	013
mental scurvy and in scurvy with superimposed infection and — . The joints in experimental scurvy and in scurvy with	932
superimposed infection	952
Roberts, Joe M. See Hunter and Roberts	133
Robertson, H. E. The persistence of tuberculous infections Rosenow, Edward C. Cataphoretic time and velocity of streptococci and	711
pneumococci as isolated in studies of the common cold, influenza, bronchopneumonia, and lobar pneumonia	956*

S

Sabin, Albert B. Immediate pneumococcus typing directly from sputum by the Neufeld reaction	968*
Saphir, O., and Stasney, J. Extreme alteration of the aortic valve in syphilitic aortitis	431
Schenken, J. R. See Hansmann and Schenken	925*
Schmeisser, Harry C., Fuller, Henry, and Jones, I. H. Tuberculous endophlebitis with obliteration of the superior vena cava. Report	
of a case	927*
Stasney, J. See Saphir and Stasney	963*
Stewart, Fred W. The diagnosis of tumors by aspiration	431 801
Stewart, Harold L., and Crawford, Baxter L. Congenital heart disease with pulmonary arteritis. Interventricular septal defect, dextro-	001
position of the aorta and dilatation of the pulmonary artery Summerville, Ward W. See Goldblatt, Lynch, Hanzal and Summer-	637
ville	942*
Szurek, S. A., and Czaja, Z. G. Experimental fat embolism of the heart	47
T	
Taliaferro, William H., and Cannon, Paul R. Cellular reactions to malaria (Plasmodium brasilianum) in Panamanian monkeys	934*
Thompson, Luther. See Beaver and Thompson	603
v	
Verder, Elizabeth, and McKinley, Earl B. Cultivation of acid-fast	
bacteria in chick embryo	928*
Vorwald, Arthur J. See Long, Holley and Vorwald	329
W	
Walker, Thomas T., and Hoffman, Donald C. The effect of testicular extract on experimental tuberculosis in rabbits. I. Skin lesions	6=1
Wanstrom, Ruth C. Erythroleucoblastosis in the newborn	651
Warren, Shields. The angle of the mitotic spindles in malignant cells.	623 781
The angle of the mitotic spindles in malignant cells	946*
Warwick, Margaret. Pneumonia in newborn infants	061*
Webster, Leslie T. Inherent factors in resistance and susceptibility to	901
infectious diseases	938*
White, Mosetta. See DeSanto and White	381
Wilcox, Herbert B. See Putnam and Wilcox	649
Willis, R. A. See Colville and Willis	421
Wilson, James L. See Farber and Wilson	966*
Wolbach, S. Burt. Controlled formation of collagen and reticulum. A study of the source of intercellular substance in recovery from ex-	
perimental scorbutus	689
pigs in vitamin A deficiency and repair	275
See Coppoletta and Wolbach	55
Wright, Arthur W., and Graham, Clarence F. The effect of caesium	-90

